

INCIDENT DATE: MAR 21, 2023

CITY / ZONE: OAKLAND / METROPOLISWEST2

REPORT DATE: MAR 21, 2023 10:57:33

REQUESTED BY: ANUNLEY@SHOTSPOTTER.COM



INCIDENT

CAD ID

9757-w1EhsjGN

MAR 21, 2023 10:30:00

DATE/TIME **ROUNDS**

LOCATION

37.797669, -122.248257

ADDRESS

629 E 19TH ST

AREA TAGS

INCIDENT AUDIO

SENSOR	RANGE FROM INCIDENT	AUDIO
# 141	1172 ft / 357 m	CLICK TO PLAY
# 110	1650 ft / 503 m	CLICK TO PLAY
# 142	2258 ft / 689 m	CLICK TO PLAY
# 111	2981 ft / 909 m	CLICK TO PLAY



INCIDENT DATE: MAR 21, 2023

CITY / ZONE: OAKLAND / METROPOLISWEST2

REPORT DATE: MAR 21, 2023 10:57:33

REQUESTED BY: ANUNLEY@SHOTSPOTTER.COM



INDIVIDUAL SHOTS

The following shot count, times, and locations were automatically calculated by the ShotSpotter system at the time of detection. They are approximate and should be deemed as such. The number of individual shots below may not match the round count reported on page one if an Incident Reviewer adjusted the round count during incident review prior to publication. Some shots may overlap or hide other shots on the map.

SHOT	DATE	TIME	INTERVAL (sec)	LOCATION
# 1	03/21/2023	10:30:00.202	0.000	37.797669, -122.248257





INCIDENT DATE: MAR 21, 2023

CITY / ZONE: OAKLAND / METROPOLISWEST2

REPORT DATE: MAR 21, 2023 10:57:33

REQUESTED BY: ANUNLEY@SHOTSPOTTER.COM

INCIDENT TIMELINE

DATE/TIME	USERNAME	DETAILS
03-21-2023 10:30:00	SYSTEM	PUBLISHED





INCIDENT DATE: MAR 21, 2023

CITY / ZONE: OAKLAND / METROPOLISWEST2

REPORT DATE: MAR 21, 2023 10:57:33

REQUESTED BY: ANUNLEY@SHOTSPOTTER.COM

DISCLAIMER

The Investigative Lead Summary is produced using data automatically generated by the ShotSpotter system and has not been independently reviewed by our Forensic Engineers. Although it provides precise trigger-pull location and timing as determined automatically by the ShotSpotter system, this summary should only be used for initial investigative purposes because the shot timing, location, and count could differ once reviewed by a ShotSpotter Forensic Engineer. Factors, such as obstructed or attenuated muzzle blast, weapon discharge in an enclosed space, or if the weapon discharged is of .25 or smaller caliber, may prevent the sensor(s) from detecting all or some of the shots fired. This summary has been generated solely for the purpose for which it is provided. Nothing herein shall to any extent substitute for the independent investigation of the shooting incident. The data and conclusions herein should be corroborated with other evidentiary sources such as recovered shell casings and witness statements.

COPYRIGHT

This is proprietary, confidential, and copyrighted data. Use of this data is restricted to authorized SoundThinking customers pursuant to their license agreement with SoundThinking, Inc. The data may not be used for any purposes other than those explicitly authorized by the associated license agreement and may not be distributed outside the licensed customer's department without the express, written permission of SoundThinking, Inc. Copyright (c) 2023 SoundThinking, Inc. All rights reserved. US and foreign patents and/or trademarks apply as described at: www.soundthinking.com/patents.

ABOUT SOUNDTHINKING

SoundThinking, Inc. (NASDAQ: SSTI) is a leader in precision policing technology solutions that enable law enforcement to more effectively respond to, investigate, and deter crime. The company's products are trusted by more than 120 U.S. cities to help make their communities safer. The company's SafetySmart™ platform includes its flagship product, ShotSpotter™, the leading gunshot detection, location, and forensic system, and ResourceRouter™, patrol management software to dynamically direct patrol resources to areas of greatest risk and more effectively deter crime. CrimeTracer™ is a CJIS search engine traces connection over 1.3 billion law enforcement records to drive investigative leads and trace connections across people, places and property. CaseBuilder™ is an investigative case management solution that helps detectives connect the dots and share information more effectively to improve case clearance rates.





N	വ	TF.S